

INDEX TO VOLUME XXXIII¹

INDEX TO AUTHORS AND TITLES

- Arenberg, Florence Frieda.** Agaricaceae from the Medicine Bow Mountains of Wyoming 50
- Ayers, Theodore Thomas.** *Biatorella resinae*: the perfect stage of *Zythia resinae* 130; The distribution and association of *Gonatorrhodiella Highlei* with *Nectria coccinea* in the United States 178
- Barnhart, John Hendley.** Howard James Banker (1806-1940) 341
- Bitancourt, Agesilau Antonio & Jenkins, Anna Eliza.** Revised descriptions of the genera *Elsinoë* and *Sphaceloma* 338
- Blackwell, Elizabeth Marianne & Waterhouse, Grace Marion.** Water moulds as a source of infection by pathogenic species of *Phytophthora* 449
- Bliss, Donald Everett.** A new species of *Ceratostomella* on the date palm 468
- Brown, William Lacy & Johnson, George Thomas.** Stages in the development of *Thelotrema interpositum* 601
- Cash, Edith Katherine, Jenkins, Anna Eliza & Krug, Helmut Paulo.** New or little known Ascomycetes collected in Sao Paulo in 1936 390
- Chupp, Charles David & Jenkins, Anna Eliza.** *Cercospora* ? *phaeochlora* discovered in Chile 87
- Condit, Ira Judson & Horne, William Titus.** *Lepiota Morgani*, an unwholesome fungus 666
- Couch, John Nathaniel.** A new *Uredinella* from Ceylon 405; Mycological Society of America Directory 670
- Crowell, Ivan Herrett.** A tweezers method for making microscopic sections of plant pathological material 335; Use of dichloricidide in the control of scavenger mites in test tube cultures 137
- Cummins, George Baker.** Uredinales of New Guinea—II 64; III 143; IV 380
- Cutter, Victor Macomber.** Observations on certain species of *Aphanomyces* 220
- & Sparrow, Frederick Kroeber. Observations on *Mindeniella spinospora* 288
- Davidson, Ross Wallace & Wolf, Frederick Adolph.** Life cycle of *Piggotia Fraxini*, causing leaf disease of ash 526
- Davis, Benjamin Harold.** A new *Cercospora* on *Leucothoe* 523
- Dearness, John.** Correction 666; New species of Tennessee fungi 360
- Dick, Esther Amelia & Snell, Walter Henry.** Notes on Boletes. VI 23
- Diehl, William Webster.** The taxonomy of Zenker's *Leptostroma Camelliae* 215

¹ This index was prepared by Gussie Mildred Miller.

INDEX TO VOLUME XXXIII¹

INDEX TO AUTHORS AND TITLES

- Arenberg, Florence Frieda.** Agaricaceae from the Medicine Bow Mountains of Wyoming 50
- Ayers, Theodore Thomas.** *Biatorella resinac*: the perfect stage of *Zythia resinac* 130; The distribution and association of *Gonatorrhodiella Highlei* with *Nectria coccinea* in the United States 178
- Barnhart, John Hendley.** Howard James Banker (1806-1940) 341
- Bitancourt, Agesilau Antonio & Jenkins, Anna Eliza.** Revised descriptions of the genera *Elsinoë* and *Sphaceloma* 338
- Blackwell, Elizabeth Marianne & Waterhouse, Grace Marion.** Water moulds as a source of infection by pathogenic species of *Phytophthora* 449
- Bliss, Donald Everett.** A new species of *Ceratostomella* on the date palm 468
- Brown, William Lacy & Johnson, George Thomas.** Stages in the development of *Thelotrema interpositum* 601
- Cash, Edith Katherine, Jenkins, Anna Eliza & Krug, Helmut Paulo.** New or little known Ascomycetes collected in Sao Paulo in 1936 390
- Chupp, Charles David & Jenkins, Anna Eliza.** *Cercospora* ? *phaeochlora* discovered in Chile 87
- Condit, Ira Judson & Horne, William Titus.** *Lepiota Morgani*, an unwholesome fungus 666
- Couch, John Nathaniel.** A new *Uredinella* from Ceylon 405; Mycological Society of America Directory 670
- Crowell, Ivan Herrett.** A tweezers method for making microscopic sections of plant pathological material 335; Use of dichloricid in the control of scavenger mites in test tube cultures 137
- Cummins, George Baker.** Uredinales of New Guinea—II 64; III 143; IV 380
- Cutter, Victor Macomber.** Observations on certain species of *Aphanomyces* 220
- & Sparrow, Frederick Kroeber. Observations on *Mindeniella spinospora* 288
- Davidson, Ross Wallace & Wolf, Frederick Adolph.** Life cycle of *Piggotia Fraxini*, causing leaf disease of ash 526
- Davis, Benjamin Harold.** A new *Cercospora* on *Leucothoe* 523
- Dearness, John.** Correction 666; New species of Tennessee fungi 360
- Dick, Esther Amelia & Snell, Walter Henry.** Notes on Boletes. VI 23
- Diehl, William Webster.** The taxonomy of Zenker's *Leptostroma Camelliae* 215

¹ This index was prepared by Gussie Mildred Miller.

- Dodge, Bernard Ogilvie.** Discharge of the sporangioles of bird's nest fungi 650
- Drechsler, Charles.** Four Phycomycetes destructive to nemátodes and rhizopods 248
- Fischer, George William & Holton, Charles Stewart.** Inheritance of sorus characters in hybrids between *Ustilago Avenae* and *U. perennans* 555
- Groves, James Walton.** *Pezicula carnea* and *Pezicula subcarnea* 510
- Hagelstein, Robert.** Notes on the Mycetozoa—V 294
- Hansen, Hans Nicholas & Snyder, William Cowperthwaite.** The effect of light on taxonomic characters in *Fusarium* 580
- Harris, Hubert Andrew & Tehon, Leo Roy.** A chytrid inhabiting xylem in the moline elm 118
- Hillegas, Arthur Burdette.** Observations on a new species of *Cladochytrium* 618
- Ho, Wen-chun.** Reprints and books for China 337
- Holton, Charles Stewart & Fischer, George William.** Inheritance of sorus characters in hybrids between *Ustilago Avenae* and *U. perennans* 555
- Horne, William Titus & Condit, Ira Judson.** *Lepiota Morgani*, an unwholesome fungus 666
- Howell, Arden.** Studies on *Histoplasma capsulatum* and similar form-species. III. Effect of hydrogen ion concentration 103
- Jenkins, Anna Eliza & Bitancourt, Agesilau Antonio.** Revised descriptions of the genera *Elsinoë* and *Sphaceloma* 338
- & **Chupp, Charles David.** *Cercospora* ? *phacoclora* discovered in Chile 87
- , **Krug, Helmut Paulo & Cash, Edith Katherine.** New or little known Ascomycetes collected in Sao Paulo in 1936 390
- Johnson, George Thomas.** The development of a species of *Coprinus* 188
- & **Brown, William Lacy.** Stages in the development of *Thelotrema interpositum* 601
- & **Jones, Asa C.** Data on the cultural characteristics of a species of *Coprinus* 424
- Jones, Asa C. & Johnson, George Thomas.** Data on the cultural characteristics of a species of *Coprinus* 424
- Josserand, Marcel & Smith, Alexander Hanchett.** Notes on the synonymy of French and American agarics—II 483
- Kanouse, Bessie Bernice.** New and unusual species of Discomycetes 461
- Karling, John Sidney.** Notes on *Endochytrium* Du Plessis 356
- Krug, Helmut Paulo, Cash, Edith Katherine & Jenkins, Anna Eliza.** New or little known Ascomycetes collected in Sao Paulo in 1936 390
- Lenz, Lee Wayne.** A new smut from Louisiana 155
- Linder, David Hunt.** Mycological Society of America—Report on the 1939 foray 570; Mycologists in relation to others 453
- Long, William Henry.** Studies in the Gasteromycetes III. The family Arachniaceae 350

- & Stouffer, David J. Studies in the Gasteromycetes II. *Bovistina*, a new genus 270
- Mains, Edwin Butterworth. *Cordyceps stylophora* and *Cordyceps Ravenelii* 611
- Malloch, Walter Scott. The association of different alterations in self-fertile x-rayed derivatives of *Neurospora tetrasperma* 540
- Martin, George Willard. Respecting descriptions in Latin 667
- Miller, Julian Howell. Georgia Pyrenomycetes. II 74; Pyrenomycete note 333
- Morse, Elizabeth Eaton. A new polypore in Washington 506; A new western *Pholiota* 367; *Geaster limbatus*: a new variety 139; *Podaxis pistillaris* II 609
- Murrill, William Alphonso. More Florida novelties 434; Some Florida novelties 279; The devil and the deep 666
- Overholts, Lee Oras. New species of Polyporaceae 90
- Pady, Stuart McGregor. Notes on *Coprinus micaceus* growing in an unusual habitat 411
- Raper, Kenneth Bryan. *Dictyostelium minutum*, a second new species of slime mold from decaying forest leaves 633
- Ray, William Winfield. Notes on Oklahoma Cercosporae 174
- Rogers, Donald Philip. Relative dates of S. F. Gray's Natural Arrangement and Fries's Systema 568
- Salvin, S. B. Comparative studies on the primary and secondary zoospores of the Saprolegniaceae. I. Influence of temperature 592
- Seaver, Fred Jay. Monographs of the Pyrenomycetes 667; *Sarcosphaera coronaria* 579
- & Waterston, John MacLaren. Contributions to the mycoflora of Bermuda—II 310
- Shear, Cornelius Lott. Mycological notes. V 318
- Singer, Rolf. Is Shiitake a *Cortinellus*? 449
- Smith, Alexander Hanchett. New and unusual agarics from North America. II 1
- & Josserand, Marcel. Notes on the synonymy of French and American agarics—II 483
- Smith, Clayton Orville. *Boletus brevipes* Peck in southern California 333
- Snell, Walter Henry. The genera of the Boletaceae 415; Mycological Society of America—Summer foray 334
- & Dick, Esther Amelia. Notes on Boletes. VI 23
- Snyder, William Cowperthwaite & Hansen, Hans Nicholas. The effect of light on taxonomic characters in *Fusarium* 580
- Sparrow, Frederick Kroeber & Cutter, Victor Macomber. Observations on *Mindeniella spinospora* 288
- Sprague, Roderick. Some leaf spot fungi on western Gramineae 655; *Stagonospora arenaria* on grasses 371
- Stevens, Neil Everett. Host relations in species of *Diplodia* and similar genera 69
- Stevenson, John Albert. Louis Charles Christopher Krieger, 1873–1940 241
- Stiffler, Cloyd Burnley. A new genus of Hypocreales 82

- Stouffer, David J. & Long, William Henry.** Studies in the Gasteromycetes II. *Bovistina*, a new genus 270
- Sumstine, David Ross.** Notes on some new or interesting fungi 7
- Tehon, Leo Roy & Harris, Hubert Andrew.** A chytrid inhabiting xylem in the moline elm 118
- Waterhouse, Grace Marion & Blackwell, Elizabeth Marianne.** Water moulds as a source of infection by pathogenic species of *Phytophthora* 449
- Waterston, John MacLaren & Seaver, Fred Jay.** Contributions to the mycoflora of Bermuda—II 310
- Wehmeyer, Lewis Edgar.** *Pseudotrachia* and the new genus *Phragmodiaporthe* 54
- West, Erdman.** Notes on Florida fungi. II 38
- Wolf, Frederick Adolph.** A large fructification of *Polyporus sulphureus* 136
- & **Davidson, Ross Wallace.** Life cycle of *Piggotia Fraxini*, causing leaf disease of ash 526
- Wolf, Fred Taylor.** A contribution to the life history and geographic distribution of the genus *Allomyces* 158; A new species of *Achlya* from Costa Rica 274
- Zeller, Sanford Myron.** Further notes on fungi 196

INDEX TO GENERA AND SPECIES

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in text are corrected in the index.

- Abstoma* 213; *reticulatum* 213
- Acaulopage* 256; *macrospora* 256; *marantica* 256; *rhabdospora* 256, 257; *stenospora* 254, 257, 268
- Achlya* 223, 229, 231, 233, 274, 275, 594–596, 600; *abortiva* 275; *apiculata* 275; *caroliniana* 275; *flagellata* 592, 594, 595; *Hähnliana* 275; *Orion* 275; ***Rodrigueziana*** 274–278
- Achorella* 402; *costaricensis* 396, 397, 402; *guianensis* 396, 397, 402
- Achorion Schoenleinii* 108
- Achrotelium* 46; *Ichnocarpi* 145
- AcrospERMUM compressum foliolum* 38
- Adelopus balsamicola* 572
- Aecidium* 154; ***albiceratum*** 382, 389; *Blumeae* 154; *brasiliense* 153; *Breyniae* 153; *Cordia* 153; *Cyrtillae* 40; *Dichrocephalae* 388; *Elaeocarpi* 388; ***elaecarpicola*** 382, 387, 388; *flavidum* 153; *hornotinum* 388; ***innuptum*** 387; *Lindavianum* 153; ***matapense*** 389; *Meliosmae-myrianthae* 388; *micranthum* 153; ***morobeanum*** 153; *pachycarpum* 382, 389; ***papuanum*** 149, 154; *Puspa* 388; ***rubromaculans*** 40, 41; ***Toxocarpi*** 388; *Vernoniae-cinereae* 153; ***wareoense*** 382, 388
- Agaricus* 193, 194; *arvensis* 279; *campester* 447; *campestris* 190, 194, 195, 424, 433; *elongatipes* 5; *placomycetes* 448, 576; ***pocillator*** 446; ***projectellus*** 447; *subplacomycetes badius* 447; *sylvicolus* 576
- Aglaospora aculeata* 57; *Fairmani* 56
- Albugo Ipomoeae-panduranae* 572
- Aleuria cestrica* 573
- Aleurodiscus amorphus* 574
- Allomyces* 159–164, 167, 169–173, 274, 278; *anomalus* 159, 160, 162–165, 169; *arbuscula* 158–160, 162–165, 167–173, 274; *cystogenus* 159, 160, 162, 164, 169, 171, 172; *javanicus* 158–160, 162, 164, 167, 168, 171–173; *monili-*

- formis 159, 160, 162, 164, 168, 169, 171
 Alveolaria 388
 Alytospodium fuscum 325
 Amanita 17, 193; **alliacea** 438, **448**;
 bisporiger 576; chlorinosma 576;
 cinereoconia 576; cylindrispora
 434; **fraterna** **448**; gemmata 437;
 Gwyniana 436; pantherina 246;
 praelongispora **448**; roanokensis
 434; **solitariiformis** **448**; spreta
 576; **suballiacea** **448**; **subsolitaria**
 448; **subvirginiana** 287; verna
 437, 438; **virginiana** 17; virosa
 436; **virosiformis** **448**
 Amanitopsis parvicolvata 576;
 vaginata 576; vaginata livida 52
 Amaurochaete 295; fuliginosa 295
 Amoebocytrium rhizidioides 625,
 627
 Angiopsora 150, 151
 Antennularia 394
 Anthostoma 74; grandineum 74;
 hypophlaeum 75; microplaca 77
 Anthostomella sepiabilis 572
 Aphanomyces 220, 233, 234, 237-
 239, 248; acinetophagus 221;
 amphigynus 223, 225, **227**, 229,
 231, 236, 238, 239; euteiches 600;
 exoparasiticus 221, 227, 231;
 helicoideus 221, 223, 225, 226, 236,
 239; laevis 221, 223, 225-227, 232,
 236, 238, 239; norvegicus 234,
 235, 237; ovidestruens 235, 239;
 parasiticus 223, 228-230, 234, 236,
 238, 239; phycophilus 223, 231-
 237, 240; scaber 223, 228, 233,
 234, 236, 238; **Sparrowii** 223,
 231-233, 236, 239
 Apioportha virgultorum 398
 Arachnion 350, 351, 354; album
 350, 351, 354; bovista 351; Drum-
 mondii 350; giganteum 351;
 rufum 350, 354; scleroderma
 351; tener 351
 Arachniopsis albicans 350, 352, 354
 Araiopora 288, 291, 292
Araneosa 350, 351; **columellata**
 350, 351, 352 354
 Arcangeliiella 200; Behrii 200;
 Behrii caudata 200
 Arcyria cinerea 571; denudata 571;
 ferruginea 296; incarnata 571;
 stipata 296
 Armillaria appendiculata 52; mel-
 lea 576
 Arnoldia minutula 605
 Arthrobotryum atrum 578
 Ascochyta 660
 Ascophanus bermudensis 38
 Asterodon 343
 Asteroma Lactucae 578
 Asterostroma ochroleucum 574
 Asterostromella 530; Fraxini 530,
 533
 Astraeus hygrometricus 577
 Bacillus firmus 634, 637, 638;
 megatherium 634, 638, 641;
 prodigiosus 638
 Badhamia 307; lilacina 306
 Bagnisiella eutypoides 332
 Balansia 39; clavula 38, 39; Hypo-
 xylon 572
 Battarrea 609
 Bdellospora helicoides 255
 Belonidium introspectum 573
 Belonopsis 461, 462; **montanensis**
 461
 Berlesiiella 78; setosa 78
 Biatorella resinae 130-134
 Blastocladia 288, 292; Pringsheimii
 288, 289
 Boletellus 418, 422; Ananas 422;
 betula 422; **chrysenteroides** 422;
 Russellii 422; **subflavides** 422
 Boletinellus 418, 420, 421, 422;
 merulioides 421
 Boletinus 35-37, 415, 416, 418, 420,
 421, 423; appendiculatus 35;
 castanellus 576; cavipes 26;
 cavipes rubrotinctus 26; de-
 cipiens 35; **flavoluteus** 34, 37;
 glandulosus 23, 37; **ochraceoro-**
 seus 35, 36; paluster 416; pictus
 416, 576; porosus 35, 36; **punc-**
 tatipes 36; spectabilis 416; squar-
 rosoides 419, 576
 Boletus 28, 36, 37, 241, 245, 415-
 418, 420, 421, 652; acidus 23;
 affinis 576; albellus 25; alboater
 24, 576; amabilis 37, 416; ameri-
 canus 23, 26, 31, 34, 35, 416;
 Ananas 29; aurantiacus 30, 416;
 auriflammeus 420, 576; auripes
 27; auriporus 30, 31, 576; badius
 576; Betula 24, 29; bicolor 28,
 576; brevipes 333; calopus 26;
 castaneus 416, 576; chromapes
 576; chrysenteroides 29, 576;
 crassipes 27; cyanescens 28, 416,
 576; duriusculus 25; eximius 27,
 28; felleus 32, 576; felleus
 plumbeoviolaceus 32; ferrugineus
 26, 27; **frustosus** 33; fulvus 24;
 fumosipes 421, 576; glutinosipes
 576; gracilis 576; granulatus 30,
 416, 576; hemichrysus 420; hir-
 tellus 26; hirtellus mutans 26;

- holopus 25; Lakei 36, 37, 416;
 longicurvis 576; luteus 416;
 miniato-olivaceus 28; miniato-
 olivaceus sensibilis 28; mirabilis
 25; multipunctus 24; mutabilis
 26; niveus 25; ornatipes 576;
 pallidus 576; parasiticus 576;
 Peckii 576; piperatus 416, 576;
plumbeoviolaceus 32; porphyro-
 sporus 26, 421, 576; pseudo-
 decorus 26; pulverulentus 26, 28;
 punctipes 23, 31; purpureus 28;
 Ravenelii 420; rubeus 576;
 rubinellus 576; Russellii 29;
 sanguineus 28; scaber 25, 416,
 576; scabripes 27, 28; separans
 576; spadiceus 26; spectabilis
 416; sphaerosporus 421; sub-
 aureus 31; subglabripes 576;
 subtomentosus 25, 576; sub-
 velutipes 576; tomentosus 26,
 27; variegatus 24, 25; versipellis
 416
 Botryobasidium isabellinum 574
 Botryodiplodia 69; Theobromae 72
 Botryosphaeria 70; Ribis 71, 72,
 572; Ribis chromogena 70, 71
 Botrytis cinerea 590
 Bovista 270, 272; plumbea 272
Bovistina 270, 272; **atrogleba** 270-
 272
 Brachyallomyces 159
 Brefeldia 295; maxima 295
 Briosa 366; ampelophaga 366;
Azaleae 365
 Bulgaria rufa 39
 Byssosphaeria 328; corticium 329;
 imposita 328, 329; purpureo-
 fusca 329
 Caliciopsis pinea 572
 Calodon amicus 575; scrobicu-
 latum 575; zonatum 575
 Caloplaca 605; aurantia callopisma
 605
 Calospora 54, 56, 59; ambigua 57,
 58, 60; apatela 56; Ribis 55
 Calostoma 609; cinnabarina 577;
 Ravenelii 577
 Calvatia 272; tatrensis 213
 Calycina macrospora 573
 Camarops grandinea 74; pugillus
 572
 Camarosporium Robiniae 578
 Camptomeris 365
 Cantharellus aurantiacus 576; cin-
 nabarinus 576; clavatus 483, 485,
 486, 504; floccosus 576; minor
 576; multiplex 483, 485, 486, 503-
 505
 Carlia 79
Carpenterella 127; **Molinea** 128
 Cenangium 461; **tennesseense** 462
 Cephalosporium 187
 Ceratiomyxa fruticulosa 571
 Ceratobasidium plumbeum 574
 Ceratostomella 468, 477, 481; para-
 doxa 474, 481; **radicicola** 468-
 470, 473-475, 477-481
 Cercospora 87, 89, 174, 523, 528,
 539; Acalyphae 176; anthelmin-
 tica 176; Asparagi 176; atro-
 maculans 578; Boehmeriae 578;
Cercidis 175; condensata Des-
 manthi 365; **Coreopsidis** 174;
 cruenta 177; Diodiae-virginianae
 578; dubia 177; effusa 578; Epi-
 gaeae 523; erythrogena 578;
 flagellaris 177; Fraxini 527;
 Gaultheriae 523; Gaurae 177;
 gay-lussaci 523; granuliformis
 578; **Halesiae** 365; Handellii 523;
 Hydrangeae 177; Kalmiae 523,
 578; **Leucothoes** 523, 524; mol-
 leriana 523; oculata 177; Oxy-
 dendri 523; pachypus 177; Pe-
 tuniae 177; phaeochlora 87, 89;
Psoraleae 176; Rhoina 578;
 smilacina 578; Smilacis 578;
 sparsa 523; squalidula 177;
viburnicola 174
 Cercosporella Fraxini 527
 Cercosporidium 365; Desmanthi
 365
 Ceriomyces 419
 Cerotelium desmum 144; **moro-
 beanum** 144, 145
 Chalaropsis 468, 472, 475, 477, 478,
 482; thielavioides 475, 477-482
 Chlorosplenium aeruginascens 573;
 chlora 573; versiforme 573
 Chromocreopsis cubispora 572
 Chrysomyxa roanensis 574
 Ciboria 461; **rufescens** 463; **tropi-
 calis** 463
 Cladochytrium 618, 621, 630-632;
 caespitis 630; cornutum 625;
crassum 618, 619, 621, 624, 626,
 627, 630, 631; graminis 630;
 hyalinum 627, 631; irregulare
 630; Nowakowski 621, 624, 630;
 polystomum 621; replicatum 621,
 624, 630, 632; tenue 618, 623,
 624, 631; viticolum 630, 632
 Cladophora 356, 358
 Cladosporium epiphyllum 365
 Clastoderma Debaryanum 571
 Claudopus nidulans 20
 Clavaria botrytis 575; cristata 575;
 fennica 575; formosa 575; fusi-

- formis 575; grandis 575; Kunzei 575; mucida 575; muscoides 575; obtusissima 575; pulchra 575; rufescens 575; subfalcata 575
- Clitocybe cyathiformis* 576; dealbata 440; illudens 576; laccata 576; maxima 52; ochropurpurea 576; parilis 576
- Clitopilus orcellus* 576
- Clypeolella Leemingii* 572
- Coccospora aurantiaca* 48, 578
- Cochlonema* 258, 265; megalosomum 258, 259; megaspirema 265; **symplocum** 260, 262, **266**, 268, 269; verrucosum 263-265, 269
- Coleosporium Elephantopodis* 574; *Helianthi* 574; inconspicuum 574; *Ipomoeae* 49; *Lacinariae* 42, 49; *Merrillii* 143; *Solidaginis* 574; *Vernoniae* 574; *Viburni* 42
- Collema* 608; pulposum 608
- Collemodes Bachmanianum* 607
- Colletotrichum graminicolum* 658
- Colloderma oculatum* 295-297
- Collybia* 504; abundans 576; campanella 20; colorea 576; confluens 52; conigena 576; conigenoides 576; dryophila 52, 576; exsculptata 576; flaccida 576; hirticeps 19; lilacea 485; maculata 576; myriadophylla 485, 497; platyphylla 576; radicata 445, 576; stipitaria 20; **subagrica** 448; teleoianthina 485, 504; **Tricholoma** 448; zonata 20
- Comatricha* 297, 309; cornea 297, 298; elegans 298; elegans pallens 298; nigra 298; pulchella 571; reticulata 309; *Rispaudii* 298, 299; rubens 298; typhoides 571
- Coniophora arida* 574
- Coniothyrium* 663; *Psammae* 663, 664
- Coprinus* 188, 190, 192-195, 413, 424, 426-433; comatus 246; cubensis 188, 193, 424, 432; micaeus 52, 195, 411, 412; tomentosus 193, 194
- Cordycepioides** 83; **bisporus** 83-85, 86
- Cordyceps* 82, 83, 345, 346, 615, 617; agariciformia 572, 614, 617; capitata 614; clavulata 347; intermedia 572; michiganensis 572, 617; militaris 572, 615; ophioglossoides 572; paludosa 617; parasitica 572; *Ravenelii* 614, 616, 617; *sphecephila* 572; *stylophora* 611, 613, 617; superficialis 617; unilateralis 346
- Coronellaria* 461; **Castanopsisidis** 464
- Corticium investiens* 574; octosporum 574; radiosum 574; vagum 574
- Cortinarius* 450, 491; armillatus 52; cinnabarinus 576; croceofolius 52, 576; cyanites 246; decipiens 52; elegantior 52; flavifolius 576; gentilis 52; ioides 576; pholideus 52; purpurascens 576; semisan-guineus 576
- Cortinellus* 449, 450; bulbiger 450; *Shiitake* 450
- Coryne sarcoides* 573
- Corynelia brasiliensis* 390
- Coryneum Rhododendri* 364; *Rhododendri fusoidum* 364; triseptatum 364, 578
- Craterellus cantharellus* 574; cornucopioides 574; odoratus 574
- Craterium aureum* 307
- Creolophus* 343
- Creonectria cucurbitula* 572
- Crepidotus applanatus* 576; haerens 576; herbarum 52, 576
- Cribraria cuprea* 299; elegans 571; intricata 571; intricata dictydioides 571; languescens 299; laxa 299; rufa 295, 299; splendens 300, 571; tenella 571
- Crinipellis* 20; scabella 20; zonata 19
- Cronartium Quercuum* 574
- Crossopora Antidesmae-dioicae* 145
- Crucibulum* 650, 653, 654; vulgare 219, 577
- Cryptococcus Fagi* 178, 182, 186
- Cryptodiaportha aculeans* 572
- Cryptospora Caryae* 55, 56
- Cryptosporiopsis* 514, 515, 521
- Cucurbitaria* 78; echinata 78; setosa 78
- Cyathicula petiolorum* 573
- Cyathus* 217, 650, 652; pallidus 219; stercoreus 219; striatus 651, 652
- Cylindrosporium* 539; acerinum 578; *Fraxini* 527, 528, 536, 537, 539; hiemale 578; irregulare 361; saccharinum 578; viridis 527, 528, 535, 537, 539
- Cyphella cupulaeformis* 574
- Cystogenes* 159
- Cystopage* 251; **lateralis** 251-253, 255, 267; **subtilis** 254, **255**, 268
- Dactylella tylopaga* 258
- Dactylium* 49; dendroides 49, 578

- Daedalea confragosa* 575
Daldinia concentrica 572
Darlua Filum 578
Dasyscypha Agassizii 573; *cerina* 573; *nivea* 573
Dasyscyphella 461; **palmae** 464
Delicatula integrella 495
Dendrogaster 200; **elasmomycetoides** 199, 200, 209
Depazea 661; *Sorghi* 661
Dermatea 399, 510, 514; *acericola* 512; *acerina* 510, 514, 516, 517, 521; *balsamea* 573; *carnea* 510, 514; *carnea f. seriata* 511, 512; *Cerasi* 573; *cinnamomea* 515; *parasitica* 399, 401, 402; *quercina f. Aceris* 511, 512; *simillima* 511, 512, 515
Dermea 522
Desmidiospora 187
Diachea bulbillosa 300, 571; *caespitosa* 300; *cylindrica* 300; *leucopodia* 571; *miyazakiensis* 300; *splendens* 300; *subsessilis* 300
Dianema corticatum 301
Diaporthe 54, 55, 62, 398, 667; *Caryae* 55; *Fagi* 55; *leiphaemia* 55; *megalospora* 55; *microstroma* 62; *strumella* 55; *strumella longispora* 55; *tiliacea* 55
Diatrype afflata 331; *Clypeus* 75; *grandinea* 74; *hypophlaea* 75; *microplaca* 77; *stigma* 331
Diatrypella 59; *discoidea Alni* 572
Dictydiaethalium plumbeum 571
Dictydium cancellatum 571
Dictyocephalos 609
Dictyostelium 634, 644, 646, 648; *brevicaule* 646, 647; *discoideum* 641, 642, 644, 649; *lacteum* 646; **minutum** 634, 635, 637, 639-648; *mucoroides* 636, 639, 641, 642, 645, 647, 648, 649; *purpureum* 641, 647, 648
Dictyuchus 593-597; *monosporus* 228, 231
Diderma effusum 571; *hemisphaericum* 571; *ochraceum* 301; *radiatum* 295, 301; *roanense* 296, 301; *rugosum* 571; *spumarioides* 301; *testaceum* 571
Didymella 62
Didymium 303; *anellus* 303; *complanatum* 302; *crustaceum* 571; *dubium* 302, 303; *Listeri* 302, 303; *nigripes* 571; *ochroideum* 303; *parietale* 303; *squamulosum* 303, 571; *Wilczekii* 302; *xanthopus* 571
Dietelia 150
Dimerosporium 394, 404; *aeruginosum* 393, 394, 397, 401; *Tsugae* 572
Diplodia 69-72; *natalensis* 72; *sarmentorum* 69
Diplonaevia 401
Dispira cornuta 186
Dothichiza 530, 533
Dothichloe atramentosa 572
Dothidea 398
Dothidella Mikaniae 394
Dothideovalsa eutypoides 332; *Turnerae* 332
Dothiopsis 530
Dothiorella Cydoniae 361; *Justiciae* 398; *Mali* 361; *Mali fructus* 361
Drosophila floridana 445, 448
Echinodontium 343
Elaphomyces appalachiensis 572; *variegatus* 572
Elasmomyces 200
Elsinoë 338, 340; *Canavaliae* 338; *Fawcetti* 339; *Randii* 339
Endochytrium 356, 357, 359, 632; *digitatum* 356; *maxima* 356; *oophilum* 356; *operculatum* 356, 357, 629; **pseudodistomum** 357
Endocochlus 251; *gigas* 265
Endogone 196; **rosea** 214
Endophyllum emasculatum 150
Endosynchytrium 356
Endothia parasitica 572
Enerthenema papillatum 571
Entoloma alachuanum 443; *cuspidatum* 577; *cyaneum* 577; **pernivosum** 444
Entonaema liquescens 39
Entophlyctis 356, 357, 359; *pseudodistomum* 357
Epidermophyton floccosum 116; *inguinale* 116
Erysiphe Cichoracearum 572
Escherichia coli 634-638, 642, 645
Euachlya 275
Euallomyces 159
Eutypella 59, 61, 63
Everhartia lignatilis 187
Exidia glandulosa 574
Fabraea Melastomacearum 399, 403
Favolus Rhipidium 575
Fenestella 78
Filoboletus 422
Fistulina hepatica 575
Fustulinella 422
Flammula 487, 504; **amarissima** 287; **polychroa** 577; **praeefloccosa**

- 287; scamba 487-489, 497, 504, 505
 Fomes 181, 183; applanatus 101; conchatus 102; connatus 575; ignarius laevigatus 575; lobatus 575; **occidentalis** 99, 101; Pini 102, 575; pomaceus Crataegi 102; subroseus 575
 Fracchiata heterogenea 572
 Fuckelia grandinia 74
 Fuligo cinerea ecorticata 304; intermedia 304, 305; muscorum 301; septica 304, 305, 571; septica rufa 571
 Fusarium 345, 580, 583, 589-591; avenaceum 581, 582, 584, 585, 587, 590; oxysporum 590; oxysporum f. niveum 581, 582, 584, 587; Solani 581-585, 587, 590; Solani f. Cucurbitae 581-583, 585, 587
 Fusicladium Robiniae 578
 Fusicoccum 55

 Galera 210, 445; **caespitosa** 448; **floridana** 448
 Galerula **caespitosa** 445, 448; **floridana** 445, 448; Kellermani 445
 Gasterella 198; luteophila 198
 Gasterellopsis 198
 Gautieria 205
 Geaster 270, 272; limbatus 139, 141, 142; limbatus **pacificus** 139, 140, 142; rufescens 139, 141
 Geoglossum glabrum 573
 Gibberidea 78; setosa 78
 Gibellula arenearum 578; pulchra 578
 Gloeoglossum difforme 573
 Gloeosporium 539; **ferrugineum** 363; Fraxini 527; Ilicis 363; **populatum** 364; punctiforme 527, 528, 536, 538, 539; Rhododendri 363
 Gloiodon 343; strigosus 17
 Glonium stellatum 572
 Gnomonia ulmea 572
 Gomphidius 423
 Gonapodya 288
 Gonatorrhodiella 179, 181-184, 186, 187; coccorum 181, 182, 186; eximia 181, 183, 186; Highlei 178, 179, 181-186; parasitica 179, 181, 183, 184, 186
 Goplana Dioscoreae 145
 Graphium Hamamelidis 578
 Guignardia 81; **Magnoliae** 81
 Gymnoconia Peckiana 574
 Gymnopilus 281; **amarissimus** 280, 287; Nashii 281; **praefloccosus** 280, 287
 Gymnopus **subagricola** 439, 448; **Tricholoma** 439, 448
 Gyrodon 415, 418, 421, 422, 423; **Ballouii** 422; **californicus** 422; **Housei** 422; lividus 415, 421; **tennesseensis** 422
 Gyrophragmium 609
 Gyroporus 418, 422

 Haplosporella 398; Justiciae 393, 398, 399, 402
 Hebeloma 490, 491; porphyrosporum 490, 492, 504; sarcophyllum 490, 492, 504
 Helicocephalum 187
 Helotium 461; **belisense** 465; epiphyllum 573; phyllophilum 573; **Piceae** 465, 466; saprophyllum 573; scutula 573; sulphuratum 465; sulphuratum **Piceae** 465
 Helvella atra 573
 Hemitrichia 296; clavata 571; imperialis 296; Serpula 571; Vesparium 571
 Hendersonia 375; culmicola 663; mollis 374
 Hirsutella 345-348; lecanicola 347; nodulosa 347; subulata 346-348
 Histoplasma 107, 108; capsulatum 103-110, 112-117
 Hydnangium 201; monosporum 201; **oregonense** 200
 Hydnellum 343
 Hydnochaete 343
 Hydnodon 343
 Hydnotria cubispora 574
 Hydnum alboniger 575; Ellisianum 575; fennicum 575; fuligineo-violaceum 575; graveolens 575; imbricatum 575; ochraceum 575; repandum 575; rufescens 575; strigosum 17; velutinum 575
 Hydrocybe ceracea 19; conica 19, 440; cuspidata 19; **foliirubens** 440, 448
 Hygrophorus conicus 577; **foliirubens** 448; **Graciae** 19; marginatus 577; miniatus 577; Peckii 577
 Hymenochaete corrugata 574; rubiginosa 574; tabacina 574
 Hymenogaster 200; **minimus** 197, 198; Remyi 198
 Hymenostilbe 347
 Hypholoma 1-5, 16, 504; **anomalum** 2, 3, 5, 13, 16; californicum 499, 501, 502, 504, 505;

- delineatum 577; **elongatipes** 3, 5; fasciculare 577; **floridanum** 448; hydrophilum 499, 501; perplextum 280; Polytrichi 5, 6; squalidellum 6, 8; udum 1, 3-5, 7-9; **viscidipes** 3-5
- Hypochnus fumosus 574; fuscus 325; polyporoideus 575; rubiginosus 575
- Hypocrea 184; chlorospora 183; gelatinosa 572; patella 572; rufa 572; rufula 572
- Hypoderma brachysporum 572; commune 572
- Hypomyces 49, 184, 590; aurantius 572; chrysospermus 572; lactifluor 572; rosellus 572; Solani 582, 585
- Hypothele repanda 343
- Hypoxylon 74-76, 78, 320, 325, 331; afflatum 331; aquila 325, 327; Broomeianum 77; cinctum 77; clypeus 324; commutatum 573; fuscum 573; **grandineum** 74; **hypophlaeum** 75; **maculum** 75; **mediterraneum** 75-77, 323, 324; **microplacum** 77; nummularium 318, 320-322; regium 75, 76, 323, 324; repandoides 75, 76; rubiginosum 78, 328, 573; tinctor 76
- Hysterangium 205, 206; affine 204, 205; **aureum** 201; cistophilum 205; clathroides 202, 204; clathroides crassum 202; crassirhachis 205; crassum 202-204; Darkeri 205, 206; Fischeri 205; Phillipsii 205, 206; **separabile** 202, 203-205; Setchellii 204, 205
- Hysterium insidens 573
- Hysterographium Mori 573; vulvatum 573
- Illosporium caespitosum 578
- Inocybe 1, 3, 12, 15, 52; **alachuana** 281; capucina 12; **cinnamomea** 9-11, 16; confusa 14; eutheles 11; eutheles 282; fulvella 52; geophylla 15; hirtella 14; **insignis** 10, 11, 16; intricata 12; leptophylla 52; lilacina 577; **luteifolia** 10, 12-14, 16; nodulosa 12, 283; ochraceomarginata 14; pallidobrunnea 11; paludinella 281; **prae-echinulata** 281; **prae-nodulosa** 282; prominens 284; radiata 52, 284; scabella 52; **subeutheles** 282; **subnodulosa** 283; **subprominens** 283
- Ionomidotis fulvo-tingens 573
- Irpex cinnamomeus 575; farinaceus 575
- Isaria arachnophila 347, 348; farinosa 578; floccosa 346, 347
- Isariopsis clavispora 578
- Isoachlya unisporea 275
- Isotexis 338
- Ithyphallus **Murrillii** 44, 48; rubicundus 48
- Ixechninus 422
- Ixocomus 418, 420, 423
- Keithia Juniperi 39
- Khekia 57-59; ambigua 57
- Klastospora Elettariae 380
- Kleistobolus pusillus 305
- Kommamyce Bulliardii 321
- Krombholzia 421
- Krombholziella 421
- Kuehneola uredinis 574
- Lachnum sulfureum 573
- Lactaria Allardii 577; **arcuata** 440; atroviridis 577; camphoratus 577; chrysopheus 577; cinereus 577; corrugis 577; croceus 577; deliciosus 577; fuliginosus 577; **Gerardii** 577; glaucescens 577; **glutinosa** 18; griseus 577; hygrophoroides 577; indigo 577; lignyotus 577; maculatus 577; mucida 18; piperatus 577; plinthogalus 577; pyrogalus 577; rimocellus 577; rusticanus 577; subdulcis 577; subplinthogalus 577; subpurpureus 577; theiogalus 577; trivialis 18, 577; velereus 577; volemus 577
- Laetadia Magnoliae 81
- Laetinaevia 401; **Blechni** 399, 401, 402
- Lagenidium 358; pygmaeum 357, 358
- Lamproderma arcyrionema 571; columbinum 296, 571; violaceum 305
- Lanopila 272
- Lasiosphaeria ovina 573
- Lentinus 450, 451; **edodes** 451; pulcherrimus 20
- Lenzites betulina 575; saepiaria 575
- Leocarpus fragilis 571
- Leotia lubrica 573; stipitata 573
- Lepidoderma 302; tigrinum 296, 305
- Lepiota abruptibulba 286; **floridana** 286; Grangei 577; lutea 577; Morgani 666, 667; puellaria 52; rhodopepla 439; **subfulvastra** 438; **subrhodopepla** 438

- Leptonia strictius 577
 Leptosphaeria avenaria 375, 378
 Leptostroma Camelliae 217-219, 650
 Leptostromella **Bignoniæ** 363
 Leptothyrium foraminulatum 578;
 parvulum 362
 Leucogaster citrinus 207; **levi-**
 sporus 206; **magnatus** 207
 Leucophleps magnata 207
 Licea flexuosa 295, 301
 Ligniera vascularum 118, 124, 129
 Lizonia bertioides 393; Uleana 393, 401
 Lycogala epidendrum 306, 571;
 epidendrum exiguum 571; epi-
 dendrum tessellatum 306
 Lycoperdon 354, 355; fuscum 577;
 gemmatum 577
 Macrophoma phacidiella 578
 Maireella 391, 394-398, 401, 402;
 andina 396, 402; bertioides 390,
 393-397, 401, 402; **guianensis**
 397; maculans 391, 393, 397, 401;
 melioloides 394-396, 402
 Manginia 339
 Manina 343
 Marasmius 498, 504; albiceps 577;
 androsaceus 577; candidus 488,
 492-495, 497, 498, 504; candidus
 setulosus 488, 493, **496**, 503, 505;
 chordalis 498, 499, 504; elonga-
 tipes 491; felix 577; languidus
 495; limonisporea 498, 499, 504;
 magnisporea 492, 495, 504, 505,
 577; resinosus 577; siccus 577;
 subnudus 577
 Marssonina 529; Fraxini 527-529,
 533-535, 538; Populi 578
 Massarina 62
 Massarinula 62
 Melachroia xanthomela 462
 Melanconis 667
 Melanobasidium 339
 Melanobasis 339
 Melanomma 331; **afflatum** 331;
 pulvis-pyrus 183, 331
 Meliola bidentata 573
 Merulius molluscus 575
 Microsphaera 21; Alni 21; Alni
 Vaccinii 573; Platani 21
 Microsporium Audouinii 116
 Mindeniella 288, 289, 291, 292;
 spinospora 288, 290, 292
 Mollisia fumigata 573; melaleuca
 573
 Monochaetia 364; camptosperma
 578; Desmazierii 578
 Montagnites 609
 Mutinus Curtisii 577
 Mycena 491, 503, 505; amicta 491;
 capillaripes 491; carolinensis 577;
 clavicularis 577; epipterygia 49;
 galoppus 577; haematopus 491;
 idiolens 52; immaculata 52;
 leaiana 577; lenta 52; odorifera
 577; rubromarginata 577; sub-
 caerulea 491; trichoderma 52;
 vitis 52; **wyomingensis** 50-52
 Mycosphaerella 79, 81, 531-533,
 664; **aquatica** 79; **Bumeliae** 79;
 caroliniana 79; **Catesbeyi** 80;
 Corni 80; cornifolia 80; effigu-
 rata 531-538; fraxinicola 527,
 530, 532, 533, 538; **Gordoniae** 80;
 maculiformis 333; **nigrita** 333;
 oleina 80; **pyrina** 80; spleniata
 333; **staphylina** 80
 Myriangium Duriaei 573
 Myrmecium subaquila 62
 Myzocyttium 358
 Naematelia nucleata 574
 Naucoria 3, 5, 503; badia 502-504;
 caespitosa 487, 489, 504; **collybii-**
 formis 284; obtusissima 5; ver-
 nalis 52
 Nectria 178, 183, 184, 186; cinna-
 barina 185, 186, 573; coccinea
 178, 179, 181-186; Coryli 185,
 186; cucurbitula 185, 186; ditis-
 sima 178; flavo-ciliata 573; gal-
 ligena 185, 186; ochroleuca 573;
 Peziza 573; resinae 130
 Nematoloma 1, 4
 Neocosmopora 108; vasinflecta 108,
 116
 Neurophyllum clavatum 486
 Neurospora 554, 605, 608; sitophila
 608; tetrasperma 540, 543-554
 Niptera parasitica 399
 Nolanea avellanea 285; dysthales
 577; **subavellanea** 285
 Nowakowskiella 632; elegans 625;
 ramosum 625
 Nummularia 74, 75, 77, 318, 322,
 331; anthracina 321, 323; aus-
 tralis 75, 76; **Broomeiana** 77;
 Bulliardi 74, 76, 318, 320-324;
 clypeus 75, 76, 318-324; discreta
 74, 75; gracilentia 77; hypophlaea
 75; macula 75; mediterranea 75,
 323, 324; microplaca 77; num-
 mularia 320, 321; regia 75, 323,
 324; regia mediterranea 323,
 324; repandoides 75, 318, 323,
 324; scutata 77; tinctor 573
 Nummulariola nummularia 321

- Ocellaria 516, 522; ocellata 515
 Odontia arguta 575
 Oidium obductum 21
 Oligonema flavidum 571
 Olpidopsis 126
 Olpidium 118, 126, 357, 358;
 Stigeoclonii 357
 Omphalia **floridana** 448; gracilis
 52; stromboides 577
 Omphalina **floridana** 440, 448
 Ophiostoma 481
 Otthia 397

 Panus levis 577; stipticus 577
 Papulaspora candida 578
 Paragyrodon 421
 Parodiella 393; caespitosa 393, 394,
 401; dothideoides 394
 Patella albida 573; scutellata 573
 Paxillus 422, 504; alienus 487;
 atromentosus 577; corrugatus
 24; involutus 577; panuoides
 577; scambus 487; tricholoma
 487
 Paxina fuscicarpa 573; hispida 573
 Peckiella lateritia 573
 Peniophora Pirina 575
 Perichaena chrysosperma 571
 Periconia Azaleae 365
 Peripherostoma 569
 Peronospora 171, 173; corydalis
 336; Ficariae 360
 Pestalotia macrotricha 578
 Pezicula 510, 514-517, 521, 522;
 acericola 510, 514, 516, 517, 521;
 Alni 516, 517; amoena 515, 516;
 aurantiaca 516, 517; carnea 510,
 512, 514-517, 520, 521, 573; cin-
 namomea 514-517; quercina 515;
 quercina Alni 515; Rubi 573;
 subcarnea 517, 518, 520, 521
 Peziza 411, 413; badia 573; cin-
 namomea 515; diluta cinnamo-
 mea 515; domiciliana 411; vio-
 lacea 573
 Phaeomarasmius 503
 Phakopsora 150, 151, 380; **Elet-**
 tariae 380, 387; formosana 380;
 Oplismeni 143, 144; Pachyrhizi
 144; Zizyphi-vulgaris 43
 Phallus Ravenelii 343
 Phellodon 343
 Phellorinia 609
 Phlebopus 422
 Phleogena faginea 574
 Phlyctaena **Tiliae** 361
 Pholiota 281, 367, 369; erinacea
 502-504; **magnivelata** 367, 368,
 370; unicolor 53

 Phoma 656; herbarum 336; insid-
 iosa 659, 660
 Phomopsis 55
Phragmodiaporthe 54, 55; **aculeata**
 55, 57, 58, 63; **Caryae** 54, 55, 57,
 58, 63
 Phragmonaevia 401
 Phyllachora Lespedezae 573; vul-
 gata 573
 Phyllactinia corylea angulata 21
 Phylloporus 418, 419, 423, 656;
 rhodoxanthus 419; squarrosoides
 419
 Phyllosticta 658; **anthoxella** 657,
 658; Asiminae 17; Dactylidis
 656; glumarum-Setariae 659,
 660; glumarum-Sorghii 659, 660;
 Hesleri 360; **Iteae** 360; maxima
 578; Mitellae 360; Nyssae 578;
 Owensii 655, 656; Penicillariae
 659, 660; phari 659, 660; **Roglerii**
 657, **658**; Sacchari 659, 660;
 Setariae 659, 660; smilacina 578;
 Sorghii 660, 661; sorghina 656-
 662; striolata 656; viridis 527,
 539
 Physalacria inflata 246
 Physalospora 69, 70; gossypina 72;
 rhodina 72; Rhododendri 573
 Physarum 302; **Bilgramii** 306;
 cinereum 571; citrinellum 571;
 citrinum 306; contextum 571;
 globuliferum 306, 307, 571; late-
 ritium 571; leucopus 571; li-
 lacinum 306; Listeri 307, 571;
 melleum 571; murinum 306;
 mutabile 307; nucleatum 571;
 nutans 571; ovisporum 308;
 penetrans 571; psittacinum 571;
 pulcherrimum 571; sinuosum
 571; sulphureum 572; sulphur-
 cum sessile 572; superbum 308,
 572; tenerum 572; viride 572
 Physocladia obscura 625, 627, 630
 Physoderma 118
 Physopella 381
 Phytophthora 248, 449
 Piggotia 526, 527; Fraxini 526, 528,
 530, 533, 537-539
 Plasmodiophora 118
 Plasmopara viticola 572
 Platyglaea Peniophorae 574
 Plectania occidentalis 40
 Plectodiscella 338
 Plenodomus fuscomaculans 590
 Pleosphaeria 78; **echinata** 78
 Pleospora 78
 Pleurocolla compressa 578
 Pleurotus griseus 577; petaloides
 577; porrigens 486

- Pluteolus calestus* 577; *coprophilus* 577
Pluteus admirabilis 577; *cervinus* 577; ***citrinus* 444**; *leoninus* 444; *nanus* 577
Podaxis 609, 610; *loandensis* 610; *pistillaris* 610; *pistillaris paurospora* 610
Polyporoletus 418, 422; *sublividus* 29, 422
Polyporus 181; ***abieticola* 92, 93**; *abietinus* 575; *albellus* 93, 101; *anceps* 93; *biformis* 101; *borealis* 97; *canadensis* 93, 97, 99; ***canaliculatus* 100**; *cinnamomeus* 575; *confluens* 95; *cristatus* 97, 575; ***durescens* 98-100**; *elegans* 575; *Ellisii* 95; *fissilis* 575; ***Flettii* 507-509**; *galactinus* 98; *hirsutus* 575; ***illudens* 95, 96**; *immitis* 98; ***lineatus* 99, 101**; *lucidus* 101; *osseus* 97; *pargamentus* 93, 575; *Pes-Caprae* 95, 101, 575; *pocula* 575; *pubescens* 93, 575; *radiatus* 575; *retipes* 95; *Schweinitzii* 575; ***scrobiculatus* 91, 92**; *semipileatus* 575; *semisupinus* 93, 576; *Spraguei* 98, 100, 576; ***subcartilagineus* 90, 92**; *sulphureus* 136, 576; ***sylvestris* 94, 101**; *umbellatus* 97; *versicolor* 576
Polysphondylium pallidum 636; *violaceum* 636, 649
Polythrincium Trifolii 578
Poria spissa 576; *subacida* 576
Porphyrellus 418, 421
Propolis faginea 573
Prosthecium 54, 667
Protogaster 206
Prototrichia metallica 572
Psathyra 2
Psathyrella 2, 500, 501; *chondroderma* 499, 501; *hydrophila* 488, 499-502, 504, 505; *madeodisca* 499; *oblongispora* 499
Pseudoglyphium hispidulum 578
Pseudolpidopsis 126, 127
Pseudomonas fluorescens 634, 638
Pseudoplectania nigrella 40
Pseudotrichia 57, 59, 61, 62; ***aurata*, 58, 60, 63**; *stromatophila* 60
Pseudovalsa 54, 56, 58, 667; *Fairmani* 55, 56; *longipes* 58
Psilocybe 1-3; *elongata* 5; *squalidella* 9; *squalidella caespitosa* 7; *squalidella deformata* 9; *squalidella macrosperma* 7-9; *uda elongata* 5; *uda Polytrichi* 5
Puccinia aestivalis 151; *Airiae* 146; *angustata* 43; *angustata angustatoides* 43; *angustata typica* 43; *argentata* 152, 153; ***Buchnerae* 382, 385**; *burmanica* 151; *calosperma* 148; *Cannae* 43, 386; *Circaeae* 574; *citrata* 146; ***conquisita* 66**; ***costina* 381, 382**; *cumula* 385; *Cynodontis* 147; *Digitariae* 144, 147; ***eluta* 148, 149**; *Engleriana* 148, 149; ***Evo-diae* 382, 384, 385**; *exhausta* 148; ***exoptata* 64, 66**; *extensicola* 66; *extensicola Solidaginis* 574; *fallax* 150; *ferruginea* 382; *Fimbri-stylidis* 65; *hennopsiana* 64; ***heroica* 382-384**; ***indotata* 66, 67**; *Jussiaeae* 44; *kentaniensis* 385; *Komarovi* 152, 153; *Kuhniae* 45; ***largifica* 382, 385, 386**; *levis* 147; *Linkii* 42; *Lyngbyei* 67; *macro-carya* 383, 384; *marylandica* 574; *minutissima* 45; ***morobensis* 148, 149**; ***Oreoboli* 65, 66**; *orientalis* 147; *Palicouriae* 150; ***papuana* 65, 66**; *paulula* 148; *Poaesudeticae* 146; *Pogonatheri* 146; *pygmaea* 147; *Romagnolia* 46; *rubigo-vera* 147; *rufipes* 146; *Scirpi* 45; *Scirpigrassi* 65; *Scleriae* 65, 67; *Sorghi* 146; *substriata* 45; *Tabernaemontanae* 149; *tenuis* 574; *Thwaitesii* 149; *Unciniarum* 68; *Verbesinae* 574; *versicolor* 381; *xanthopoda* 65
Pucciniastrum Agrimoniae 574; *Boehmeriae* 143; *Hydrangeae* 574; *Potentillae* 380; *Pyrolae* 45
Pulveroboletus 418, 420
Pustularia gigantea 466, 579
Pyrenophora 78
Pythiomorpha 449
Pythium 124, 248, 249, 449, 630-632; *ultimum* 249
Ramularia 49; *Coleosporii* 49; *Oxalidis* 578
Ravenelia Clemensiae 381
Retinocylus flavus 130
Rhinotrichum laevisporum 22
Rhipidium 288, 291, 292
Rhizoctonia Solani 124
Rhizophidium pollinis 358
Rhizophlyctis rosea 627, 632
Rhizopogon 206; ***brunnescens* 196; villosulus 196**
Rhytisma Vaccinii 573
Robillarda Agrostidis 663
Rosellinia 324, 325, 328; *aquila* 324, 326, 328; *byssiseda* 327, 328;

- Clavariae 573; corticium 326, 327, 329; imposita 329; subiculata 573; thelena 326
 Rozella 173; Allomyces 169-171
 Russula abietina 53; albidula 441; aurantialutea 53; crustosa 577; decolorans 53, 442; densifolia 442; flava 443; fragilis 53; pectinatoides 577; puellaris 53; pusilla 286; roseipes 53; rubescens 577; subalbidula 441; subdensifolia 441; subflava 442; subincarnata 442; subpusilla 285; tenuiceps 53; Westii 443
 Rutstroemia macrospora 573
 Saccobolus Kerverni 40
 Saprolegnia 259, 592, 594-597; delicata 592, 594, 595
 Sarcodon 343
 Sarcosoma carolinianum 574
 Sarcosphaera 466; coronaria 466, 579; gigantea 466, 579
 Schizophyllum commune 246
 Schizoxylon insigne 574
 Schroeteriaster 380; Elettariae 380
 Scleroderma 212; cepa 578; Geaster 578; vulgare 578
 Sclerotinia 108; sclerotiorum 108
 Scoleconectria balsamea 573
 Scolecotrichum graminis 336, 655
 Scutiger oregonensis 95
 Sebacina incrustans 574
 Secotium 210, 609; arizonicum 354; eburneum 207, 209; longipes 209; lutescens 210; nubigenum 209, 210; pingue 209, 211; polytrichoides 209, 211
 Sedecula 212; pulvinata 209, 212, 213
 Sepedonium 108; chrysospermum 103-108, 110-117, 578
 Septobasidium castaneum 410; Curtisii 574; Mariani 47; sinuosum 410
 Septochytrium variabile 625
 Septogloeum Fraxini 527
 Septoria 372, 376, 379, 665, 666; acerella 362; acerina 578; Amorphilae 376; anthoxina 658; arenaria 376; Avenae 378; Bessevi 533; betulicola 578; Calciae 578, 666; Elvni 375, 376; elymicola 376; Farfarae 362; farfaricola 362; Negundinis 362; Pachysandrae 362; Rubi 578; Rubi pallida 578; Secalis 664; Secalis Stipae 657, 664; stipina 665
 Serratia marcescens 634, 638, 639
 Skierka Clemensiae 145, 149; philippinensis 145
 Solenia anomala 575; Brenckleanus 575; fasciculata 575
 Sparassis crispa 575
 Sphaceloma 338-340; ampelinum 339, 340
 Sphaerella 78, 79, 531; aquatica 79; Bumeliae 79; caroliniana 79; Catesbeyi 80; cornicola 80; effigurata 532, 533; fraxinea 532, 539; Fraxini 531, 532; Gordoniae 80; maculiformis 531, 532; Magnoliae 81; nigrita 333; oleina 80; punctiformis 79, 531, 532; pyrina 80; quadrangulata 532; Sapindi 532; staphylina 80
 Sphaeria 321; afflata 330; anthracina 319, 321; anthracodes 319; aquila 324, 325, 327-329; aquila corticium 329; arcuata 57; byssiseda 324-326, 328, 329; byssiseda fusca 325; byssiseda grisea 325; clypeus 75, 76, 319, 320, 322, 324; Corni 80; corticium 327-329; diffusa 319; effigurata 533; fraxinicola 533; imposita 328, 329; macula 75, 319, 320; Magnoliae 81; mammosa 327; marginata 76; mediterranea 75, 76, 323, 324; nummularia 76, 318-322, 324; nummularia striata 322; orbicularis 319; pachyloma 319; papillosa 327; purpureofusca 327-329; Staphyleae 80; stigma 320
 Sphaeronema 474, 514; acerinum 514, 515; pruinosa 578
 Sphaeropsis 663; Ellisii 578; malorum 71, 72
 Sporocybe 366; Azaleae 365; Rhoeo 578
 Sporotrichum badium 325; fuscum 325; Gougeroti 108; Quercuum 578; Schenkii 108; stuposum 325
 Stagonospora 375, 376, 378; arenaria 371-378, 662, 665; arenaria minor 376; Arrhenatheri 373, 376, 378; subseriata 657, 662, 663; subseriata maculata 657, 662
 Stannaria equiseti 462
 Steccherinum 343; septentrionale 343
 Stemonitis 309; axifera 572; fusca 308, 572; pallida 572; splendens 572; virginensis 308, 309
 Stereum 21; ambiguum 575; Burianum 575; Chailletii 575; fasciatum 575; lobatum 575; Mur-

- rayi 21; pallidum 575; rameale 575; Ravenelii 575; rugosum 575; sanguineolentum 575; sulcatum 575
 Stictis 310; **carnea** 311, 312; **Coccolobii** 311, 313, 316; **Conocarpi** 310, 311, 314, 315; **filicicola** 311, 312, 315, 316; **lophodermioides** 311, 315; **Musae** 311-313, 316; **Pimentae** 311, 313, 314, 316; **radiata** 310-312, 315, 316
 Strobilomyces 415, 418, 422; **strobilaceus** 29, 415, 576
 Stropharia 4, 5, 9; **bilamellata tomentosa** 446; **cyanescens** 279; **depilata** 279; **distans** 53, 279; **Hardii** 577; **longistriata** 501; **semigloboides** 4; **subumbonatescens** 280; **umbonatescens** 280
 Stylopage 267; **hadra** 249; **leiohypha** 249
 Synchytrium 118, 356; **Cotulae** 356, 359; **decipiens** 572

 Teichospora 78
 Thelephora **anthocephala** 575; **valis** 575; **vinosa** 325
 Thelotrema 601, 605, 607; **interpositum** 601, 604, 605, 607
 Thielaviopsis **paradoxa** 481
 Thraustotheca 594; **clavata** 592, 594
 Thyridaria **aurata** 59-61; **aurata stromatica** 59, 60
 Tilletia 155; **Euphorbiae** 155-157
 Titania 667
 Trachypus 418, 421; **rugosiceps** 421
 Tremella **lutescens** 181, 183
 Tremellodendron **merismatoides** 574; **pallidum** 574
 Tremellodon **gelatinosum** 574
 Trichia **alpina** 309; **Botrytis** 295, 572; **decipiens** 295, 572; **erecta** 572; **favoginea** 572; **floriformis** 572; **persimilis** 572; **subfusca** 572; **varia** 572
 Trichoderma 184; **lignorum** 181, 183
 Trichoglossum **hirsutum** 574
 Tricholoma 1, 15, 440, 450; **arcuatum** 53; **brevipes** 53; **caligatum** 450; **cystidiosum** 14, 15; **fallax** 484, 496; **myomyces** 15; **sejunctum** 577; **terreum** 15; **tumidum** 53; **vaccinum** 450
 Trichophyton **gypseum** 116; **interdigitale** 117; **rosaceum** 116; **violaceum** 116
 Trichosterigma 346, 348
 Tromera **resinae** 130
 Tryblidaria 461; **washingtonensis** 466
 Tubaria **crenulata** 285; **subcrenulata** 284
 Tuber **separans** 574
 Tubercularia **vulgaris** 578
 Tulostoma 609
 Tylophilus 418, 421; **plumbeoviolaceus** 33
 Tympanis **conspersa** 574

 Uleodothis **andina** 396
 Unguicularia 461, 467; **oregonensis** 467
 Uredinella 405, 407; **coccidiophaga** 407, 408, 410; **spinulosa** 405, 406, 409, 410
 Uredinopsis **macrosperma** 574; **mirabilis** 574
 Uredo **Arthraxonis-ciliaris** 150; **costina** 381; **cumula** 385; **dapsilis** 67; **Dioscoreae-filiformis** 152; **Dioscoreae-sativae** 152; **Erigerontis** 387; **Erythrinae** 152; **geniculata** 151; **Guacae** 46; **hiulca** 152; **Kyllingiae** 67; **Lucumae** 46; **Musae** 151; **ogaoensis** 150, 151; **operta** 385; **Ophiorrhizae** 153; **Oplismeni** 143; **Palmifoliae** 151; **paspalina** 151; **Passiflorae** 387; **Polliae** 386; **Polliniae-imberbis** 150; **pseudocannae** 386; **segetum** 565; **segetum Avenae** 565; **segetum decipiens** 565; **subsolana** 67; **Themeda** 151; **themedicola** 151; **unciniicola** 68; **wantoatensis** 152
 Uromyces 380; **Apludae** 146; **Asclepiadis** 46; **Commelinae** 146; **Cyanotidis** 381, 382; **Hedysaripaniculati** 574; **Holwayi** 574; **Hyperici** 574; **Krameriae** 47; **leptodermus** 145; **Lespedezae-procumbentis** 574; **Musae** 152; **Pegleriae** 145; **Phaseoli** 381; **pyriformis** 146
 Urophlyctis 118
 Ustilago 565; **Avenae** 555-560, 562-567; **decipiens** 565; **perennans** 555-567
 Ustilina **vulgaris** 573

 Valsa **apatela** 56
 Venenarius **alliaceus** 434, 448; **flavorubescens** 437; **fraternus** 436, 448; **gemmatus volvatus** 437; **praelongisporus** 434, 436,

- 448; roanokensis 435; **solitarii-**
formis 435, 448; solitarius 435,
 436; **suballiaceus** 437, 448; **sub-**
solitarius 435, 448; **subvirgini-**
anus 286, 287; virginianus 17,
 287; **virosiformis** 436, 448; viro-
 sus 435
 Verticillium 120
 Volvaria speciosa 246
- Winterella Caryae 55
 Winteromyces 393
 Xerocomus 418, 420
 Xylaria Hypoxylon 573; polymor-
 pha 573
 Zoophagus 249
 Zythia resinae 130-134